

Rust Loosener



With 6-fold function

WEICON Rust Loosener's six-fold function makes it indispensable for repairs, maintenance and servicing. Thanks to its excellent capillary action, Rust Loosener reaches even the smallest cavities. It loosens rusted and stiff parts, screws, bolts, joints and hinges, permanently protects against corrosion and oxidation. WEICON Rust Loosener durably lubricates sliding surfaces and cleans and cares for metallic surfaces, mechanical parts and electrical systems.

Technische Daten

Colour	beige
Specific properties	6-fold function
Odour	Kerosene
Temperature resistance	-20°C to +150°C
suitable for processing with	WSD 400 WPS 1500
Shelf life	24 mon.
Approvals / Guidelines	
IMPA Code	551625/26/27
ISSA Code	53.402.43

Processing

Richly brush on or spray on (e.g. with an Air Pressure Can). Allow to react for a short time. Repeat if necessary.

Storage

Store in tightly closed original container. Protect from direct sunlight. The storage temperature must not exceed +50°C. Keep container in a cool, well-ventilated location. Store in dry place.

Safety and health

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Accessories

15841500-V	Pump Dispenser WPS 1500 with VITON seal, 1 PCE
15810001	Adapter for WSD 400, 1 PCE
15811002	Spray Set for WSD 400, 1 PCE
15811400	WSD 400 Pressurized-Air Spray Can, 400 ml
15831001	Adjusting Valve for cans, 1 PCE
15841501	Extension tube for WPS 1500, 1 PCE
15843001	WEICON Pump Dispenser Special, 1 L

Available sizes:

15150005	Rust Loosener, 5 L, beige
15150010	Rust Loosener, 10 L, beige
15150001	Rust Loosener, 1 L, beige
15150028	Rust Loosener, 28 L, beige

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.