

## **Technical Sprays Grease Sprays**

# **Spray-on Grease white**



#### Multipurpose spray grease

WEICON Spray-on Grease white is a multi-purpose sprayable grease with outstanding adhesive strength and excellent resistance to ageing and pressure. By adding special wearreducing and corrosion-inhibiting additives, temperature stability from -20°C to +150°C (-4 to +302°F) in combination with a long service life can be achieved. As with transparent products, a visual inspection is possible at all times. WEICON Spray-on Grease white can be used for the long-term lubrication of rods, gearwheels, rollers, ball bearings, hinges, guides and all types of joints and couplings in many industrial applications.

#### Technische Daten

Odour		solvent
Colour		white
Specific properties		very high adhesive strength and anti- friction properties
Silicone-free		yes
Kinematic viscosity (40 °C)	DIN 51 562	110 mm <sup>2</sup> /s
Kinematic viscosity (+100 °C)	DIN 51 562	10 mm <sup>2</sup> /s
Temperature resistance		-20°C to +150°C
ISSA Code		53.402.50
Shelf life		24 mon.

#### **Processing**

Clean the parts to be lubricated thoroughly (Cleaner Spray S). Shake contents before use. Spray on from a distance of approx. 25 cm

### **Storage**

Pressurized container. Protect from direct sunlight and temperatures above +50°C.

#### Safety and health

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

#### **Available sizes:**

11520400 Spray-on Grease white, 400 ml, white

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the requested properties are recommended. A claim cannot be derived from them.